



Motorcycle Chains




DIN/ISO Chain No.	Pitch		d1 max mm	b1 min mm	d2 max mm	t/T max mm	h2 max mm	L max mm	Lc max mm	U.T.S KN	A.T.S KN	q kg/m
	mm	inch										
415	12.70	1/2"	7.77	4.88	3.96	1.1/1.3	10.30	12.15	13.90	9.00	10.80	0.43
415H				4.88		1.50	12.00	13.40	15.50	16.00	19.20	0.48
420				6.35		1.50	12.00	14.75	15.90	16.00	19.20	0.49
420H			8.51	6.35	1.70	12.00	15.70	17.00	17.00	20.40	0.56	
428				7.75	1.60	11.80	16.85	18.10	17.80	21.36	0.63	
428H				7.94	2.00	11.80	18.70	20.10	20.60	24.72	0.81	
520	15.875	5/8"	10.16	6.35	5.08	2.03	15.00	17.30	18.90	26.50	31.80	0.92
520H				6.35		2.42	15.00	18.80	20.50	26.50	31.80	1.03
525				7.94		2.03	15.00	19.40	20.50	26.50	31.80	1.06
525H			7.94	2.42	15.00	20.50	22.20	26.50	31.80	1.20		
530			9.50	2.03	15.00	20.50	22.20	26.50	31.80	1.06		
530H				2.42	15.00	22.00	23.50	32.80	39.36	1.24		
630	19.05	3/4"	11.91	12.7	5.94	2.42	18.00	22.70	25.00	35.20	42.24	1.80
630H				12.7		3.25	18.00	25.90	27.80	42.00	50.40	2.16

O-Ring Motorcycle Chains



CHJC Chain No.	Pitch		d1 max mm	b1 min mm	d2 max mm	T max mm	h2 max mm	U.T.S KN	A.T.S KN	q kg/m
	mm	inch								
420-O	12.70	1/2"	7.77	6.35	3.96	1.50	12.00	17.00	20.40	0.60
428-O	12.70	1/2"	8.51	7.75	4.45	1.60	12.00	20.00	24.12	0.72
520-O	15.875	5/8"	10.16	6.35	5.08	2.00	15.09	27.00	32.40	0.94
525-O	15.875	5/8"	10.14	7.94	5.08	2.00	15.09	28.00	33.60	0.98
530-O	15.875	5/8"	10.16	9.50	5.08	2.00	15.09	28.00	33.60	1.11
630-O	19.05	3/4"	11.91	9.53	5.94	2.40	18.00	35.00	42.00	1.56
428H-O	12.70	1/2"	8.51	7.94	4.45	2.00	12.30	22.00	26.40	0.85
520H-O	15.875	5/8"	10.16	6.35	5.24	2.40	15.00	32.00	38.40	1.00
525H-O	15.875	5/8"	10.16	7.94	5.24	2.40	15.00	32.00	38.40	1.12
530H-O	15.875	5/8"	10.16	9.50	5.24	2.40	15.00	34.00	40.80	1.20
630H-O	19.05	3/4"	11.91	12.70	5.94	3.25	18.00	42.00	50.40	1.60

X-Ring Motorcycle Chains



CHJC Chain No.	Pitch		d1 max mm	b1 min mm	d2 max mm	L max mm	Lc max mm	h2 max mm	T max mm	U.T.S KN	A.T.S KN
	mm	inch									
520	15.875	5/8"	10.16	6.35	5.08	20.50	22.00	15.00	2.03	29.00	34.80
520H	15.875	5/8"	10.16	6.35	5.08	21.60	23.10	15.00	2.42	37.00	44.40
525	15.875	5/8"	10.16	7.94	5.08	21.60	23.10	15.00	2.03	29.00	34.80
525H	15.875	5/8"	10.16	7.94	5.08	22.80	24.30	15.00	2.42	37.00	44.40
530	15.875	5/8"	10.16	9.50	5.08	22.80	24.30	15.00	2.03	29.00	34.80
530H	15.875	5/8"	10.16	9.50	5.08	24.80	26.30	15.00	2.42	37.00	44.40